



双卡套三通接头



英制双卡套三通接头						
T-Tube O. D. (in.)	基本订购信息	尺寸mm				
		L	C	G	F	E
1/16	K1-TS	17.8	8.6	7.9	9.5	1.3
1/8	K2-TS	22.4	12.7	11.1	9.5	2.3
3/16	K3-TS	24.4	13.7	12.7	11.1	3.0
1/4	K4-TS	26.9	15.2	14.3	12.7	4.8
5/16	K5-TS	29.7	16.2	15.9	15.9	6.4
3/8	K6-TS	30.5	16.8	17.5	15.9	7.1
1/2	K8-TS	36.1	22.9	22.2	20.6	10.4
5/8	K10-TS	38.9	24.4	25.4	25.4	12.7
3/4	K12-TS	39.9	24.4	28.6	27.0	15.7
7/8	K14-TS	44.7	25.9	31.8	34.9	18.3
1	K16-TS	49.0	31.2	38.1	34.9	22.4
1 1/8	K18-TS	55.1	31.2	46.0	42.9	24.6
1 1/4	K20-TS	66.5	41.1	47.6	42.9	27.7
1 1/2	K24-TS	78.0	50.0	57.2	50.8	34.0

公制双卡套三通接头						
T-Tube O. D. (in.)	基本订购信息	尺寸mm				
		L	C	G	F	E
2	K02-TS	22.3	12.9	12	9.5	1.7
3	K03-TS	22.3	12.9	12	9.5	2.4
4	K04-TS	25.4	13.7	12	12.7	2.4
6	K06-TS	27.0	15.3	14	12.7	4.8
8	K08-TS	29.9	16.2	16	15.9	6.4
10	K010-TS	31.5	17.2	19	17.5	7.9
12	K012-TS	36.0	22.8	22	20.6	9.5
14	K014-TS	38.8	24.4	25	25.4	11.1
15	K015-TS	38.8	24.4	25	25.4	11.9
16	K016-TS	38.8	24.4	25	25.4	12.7
18	K018-TS	38.8	24.4	30	27.0	15.1
20	K020-TS	44.6	26.0	32	34.9	15.9
22	K022-TS	44.6	26.0	32	34.9	18.3
25	K025-TS	49.1	31.3	38	34.9	21.8
28	K028-TS	64.0	36.6	46	42.9	21.8
30	K030-TS	69.9	39.6	50	42.9	26.2
32	K032-TS	72.3	42.0	50	42.9	28.6
38	K038-TS	84.0	49.4	60	50.8	33.7


外螺纹支管三通接头



英制外螺纹支管三通接头			NPT 螺纹							
T-Tube O. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm							
			L	C	G	F	E	B	Lx	
1/8	1/8	K2-M2-TS	23.6	12.7	11.1	11.1	2.3	9.7	17.8	
1/8	1/4	K2-M4-TS	24.6	12.7	11.1	12.7	2.3	14.2	23.4	
3/16	1/8	K3-M2-TS	24.4	13.7	12.7	11.1	3.0	9.7	17.8	
1/4	1/8	K4-M2-TS	26.9	15.2	14.3	12.7	4.8	9.7	18.8	
1/4	1/4	K4-M4-TS	26.9	15.2	14.3	12.7	4.8	14.2	23.4	
5/16	1/8	K5-M2-TS	29.7	16.3	15.9	15.9	4.8	9.7	20.8	
5/16	1/4	K5-M4-TS	29.7	16.3	15.9	15.9	6.4	14.2	25.7	
3/8	1/4	K6-M4-TS	30.5	16.8	17.5	15.9	7.1	14.2	25.4	
3/8	3/8	K6-M6-TS	33.3	16.8	17.5	20.6	7.1	14.2	28.2	
1/2	3/8	K8-M6-TS	36.1	22.9	22.2	20.6	9.7	14.2	28.2	
1/2	1/2	K8-M8-TS	36.1	22.9	22.2	20.6	10.4	19.1	33.0	
5/8	1/2	K10-M8-TS	38.9	24.4	25.4	25.4	11.9	19.1	35.8	
3/4	3/4	K12-M12-TS	39.9	24.4	28.6	27.0	15.7	19.1	36.8	
7/8	3/4	K14-M12-TS	44.7	25.9	31.8	33.3	15.7	19.1	38.1	
1	3/4	K16-M12-TS	49.3	31.2	38.1	33.3	15.7	19.1	42.2	
1	1	K16-M16-TS	49.3	31.2	38.1	34.9	22.4	23.9	46.7	


公制外螺纹支管三通接头			NPT 螺纹							
T-Tube o. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm							
			L	C	G	F	E	B	Lx	
6	1/8	K06-M2-TS	27.0	15.3	14	12.7	4.8	9.7	18.8	
6	1/4	K06-M4-TS	27.0	15.3	14	12.7	4.8	14.2	23.4	
8	1/8	K08-M2-TS	29.9	16.2	16	15.9	4.8	9.7	20.8	
8	1/4	K08-M4-TS	29.9	16.2	16	15.9	6.4	14.2	25.4	
10	1/4	K010-M4-TS	33.5	17.2	19	20.6	7.9	14.2	28.2	
10	3/8	K010-M6-TS	33.5	17.2	19	20.6	7.9	14.2	28.2	
12	1/4	K012-M4-TS	36.0	22.8	22	20.6	7.9	14.2	28.2	
12	3/8	K012-M6-TS	36.0	22.8	22	20.6	9.5	14.2	28.2	
12	1/2	K012-M8-TS	36.0	22.8	22	20.6	9.5	19.1	33.0	
16	1/2	K016-M8-TS	38.8	24.4	25	25.4	11.9	19.1	35.8	

外螺纹主管三通接头




英制外螺纹主管三通接头			NPT 螺纹							
T-Tube o. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm							
			L	C	G	F	E	B	Lx	
1/8	1/8	K2-M2-K2-TS	23.6	12.7	11.1	11.1	2.3	9.7	17.8	
1/8	1/4	K2-M4-K2-TS	24.6	12.7	11.1	12.7	2.3	14.2	23.4	
3/16	1/8	K3-M2-K3-TS	24.4	13.7	12.7	11.1	3.0	9.7	17.8	
1/4	1/8	K4-M2-K4-TS	26.9	15.2	14.3	12.7	4.8	9.7	18.8	
1/4	1/4	K4-M4-K4-TS	26.9	15.2	14.3	12.7	4.8	14.2	23.4	
5/16	1/8	K5-M2-K5-TS	29.7	16.3	15.9	15.9	4.8	9.7	20.8	
5/16	1/4	K5-M4-K5-TS	29.7	16.3	15.9	15.9	6.4	14.2	25.7	
3/8	1/4	K6-M4-K6-TS	30.5	16.8	17.5	15.9	7.1	14.2	25.4	
3/8	3/8	K6-M6-K6-TS	33.3	16.8	17.5	20.6	7.1	14.2	28.2	
1/2	3/8	K8-M6-K8-TS	36.1	22.9	22.2	20.6	9.7	14.2	28.2	
1/2	1/2	K8-M8-K8-TS	36.1	22.9	22.2	20.6	10.4	19.1	33.0	
5/8	1/2	K10-M8-K10-TS	38.1	24.4	25.4	23.8	11.9	19.1	35.8	
3/4	3/4	K12-M12-K12-TS	39.9	24.4	28.6	27.0	15.7	19.1	36.8	
7/8	3/4	K14-M12-K14-TS	44.7	25.9	31.8	33.3	15.7	19.1	38.1	
1	3/4	K16-M12-K16-TS	49.3	31.2	38.1	33.3	15.7	19.1	42.2	
1	1	K16-M16-K16-TS	49.3	31.2	38.1	34.9	22.4	23.9	46.7	

外螺纹主管三通接头



公制外螺纹主管三通接头				NPT 螺纹						
T-Tube O. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm							
			L	C	G	F	E	B	Lx	
6	1/8	K06-M2-K06-TS	27.0	15.3	14	12.7	4.8	9.7	18.0	
6	1/4	K06-M4-K06-TS	27.0	15.3	14	12.7	4.8	14.2	23.4	
8	1/8	K08-M2-K08-TS	29.9	16.2	16	15.9	4.8	9.7	20.8	
8	1/4	K08-M4-K08-TS	29.9	16.2	16	15.9	6.4	14.2	25.4	
10	1/4	K010-M4-K010-TS	33.5	17.2	19	20.6	7.9	14.2	28.2	
10	1/2	K010-M8-K010-TS	33.5	17.2	19	20.6	7.9	14.2	28.2	
12	1/4	K012-M4-K012-TS	36.0	22.8	22	20.6	7.9	14.2	28.2	
12	3/8	K012-M6-K012-TS	36.0	22.8	22	20.6	9.5	14.2	28.2	
12	1/2	K012-M8-K012-TS	36.0	22.8	22	20.6	9.5	19.1	33.0	
16	1/2	K016-M8-K016-TS	38.0	24.4	25	23.8	11.9	19.1	35.0	


内螺纹支管三通接头



英制内螺纹支管三通接头				NPT 螺纹						
T-Tube O. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm							
			L	C	G	F	E	B	Lx	
1/8	1/8	K2-F2-TS	24.6	12.7	11.1	12.7	2.3	10.4	19.1	
3/16	1/8	K3-F2-TS	25.7	13.7	12.7	12.7	3.0	10.4	19.1	
1/4	1/8	K4-F2-TS	26.9	15.2	14.3	12.7	4.8	10.4	19.1	
1/4	1/4	K4-F4-TS	29.7	15.2	14.3	17.5	4.8	15.0	22.4	
5/16	1/8	K5-F2-TS	29.7	16.2	15.9	15.9	6.4	10.4	19.1	
3/8	1/4	K6-F4-TS	31.2	16.8	17.5	17.5	7.1	15.0	22.4	
3/8	3/8	K6-F6-TS	33.3	16.8	17.5	20.6	7.1	15.0	22.4	
3/8	1/2	K6-F8-TS	36.1	16.8	17.5	25.4	7.1	19.8	28.4	
1/2	1/4	K8-F4-TS	36.1	22.9	22.2	20.6	10.4	15.0	22.4	
1/2	3/8	K8-F6-TS	36.1	22.9	22.2	20.6	10.4	15.0	22.4	
1/2	1/2	K8-F8-TS	38.9	22.9	22.2	25.4	10.4	19.8	28.4	
5/8	1/2	K10-F8-TS	38.9	24.4	25.4	25.4	12.7	19.8	28.4	
3/4	3/4	K12-F12-TS	44.7	24.4	28.6	34.9	15.7	20.6	31.8	
7/8	3/4	K14-F12-TS	44.7	25.9	31.8	34.9	18.3	20.6	31.8	
1	3/4	K16-F12-TS	49.0	31.2	38.1	34.9	22.4	20.6	31.8	
1	1	K16-F16-TS	53.6	31.2	38.1	42.9	22.4	25.4	38.1	

公制内螺纹支管三通接头				NPT 螺纹						
T-Tube O. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm							
			L	C	G	F	E	B	Lx	
6	1/8	K06-F2-TS	27.0	15.3	14	12.7	4.8	10.4	19.0	
6	1/4	K06-F4-TS	29.8	15.3	14	17.5	4.8	15.0	22.4	
8	1/8	K08-F2-TS	29.9	16.2	16	15.9	6.4	10.4	19.0	
8	1/4	K08-F4-TS	30.6	16.2	16	17.5	6.4	15.0	22.4	
10	1/4	K010-F4-TS	33.5	17.2	19	20.6	7.9	15.0	22.4	
12	1/8	K012-F2-TS	36.0	22.8	22	20.6	6.4	10.4	22.3	
12	1/4	K012-F4-TS	36.0	22.8	22	20.6	9.5	15.0	22.4	
12	3/8	K012-F6-TS	36.0	22.8	22	20.6	9.5	15.0	22.4	
12	1/2	K012-F8-TS	38.8	22.8	22	25.4	9.5	19.8	28.5	
16	1/2	K016-F8-TS	38.8	24.4	25	25.4	12.7	19.8	28.4	


内螺纹主管三通接头



英制内螺纹主管三通接头			NPT 螺纹						
T- Tube O. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm						
			L	C	G	F	E	B	Lx
1/8	1/8	K2-F2-K2-TS	24.6	12.7	11.1	12.7	2.3	10.4	19.1
3/16	1/8	K3-F2-K3-TS	25.7	13.7	12.7	12.7	3.0	10.4	19.1
1/4	1/8	K4-F2-K4-TS	26.9	15.2	14.3	12.7	4.8	10.4	19.1
1/4	1/4	K4-F4-K4-TS	29.7	15.2	14.3	17.5	4.8	15.0	22.4
5/16	1/8	K5-F2-K5-TS	29.7	16.2	15.9	15.9	6.4	10.4	19.1
3/8	1/4	K6-F4-K6-TS	31.2	16.8	17.5	17.5	7.1	15.0	22.4
1/2	1/4	K8-F4-K8-TS	36.1	22.9	22.2	20.6	10.4	15.0	22.4
1/2	3/8	K8-F6-K8-TS	36.1	22.9	22.2	20.6	10.4	15.0	22.4
1/2	1/2	K8-F8-K8-TS	39.9	22.9	22.2	27.0	10.4	19.8	28.4
5/8	1/2	K10-F8-K10-TS	39.9	24.4	25.4	27.0	12.7	19.8	28.4
3/4	3/4	K12-F12-K12-TS	44.7	24.4	28.6	34.9	15.7	20.6	31.8
7/8	1/2	K14-F8-K14-TS	44.7	25.9	31.8	34.9	15.7	19.8	28.4
7/8	3/4	K14-F12-K14-TS	44.7	25.9	31.8	34.9	18.3	20.6	31.8
1	3/4	K16-F12-K16-TS	49.0	31.2	38.1	34.9	22.4	20.6	31.8
1	1	K16-F16-K16-TS	53.6	31.2	38.1	42.9	22.4	25.4	38.1

公制内螺纹主管三通接头			NPT 螺纹						
T- Tube O. D. (in.)	NPT 尺寸	基本订购信息	尺寸mm						
			L	C	G	F	E	B	Lx
6	1/8	K06-F2-K06-TS	27.0	15.3	14	12.7	4.8	10.4	19.0
6	1/4	K06-F4-K06-TS	29.8	15.3	14	17.5	4.8	15.0	22.4
8	1/8	K08-F2-K08-TS	29.9	16.2	16	15.9	4.8	10.4	19.0
8	1/4	K08-F4-K08-TS	30.6	16.2	16	17.5	6.4	15.0	22.4
10	1/4	K010-F4-K010-TS	33.5	17.2	19	20.6	7.9	15.0	22.4
12	1/4	K012-F4-K012-TS	36.0	22.8	22	20.6	9.5	15.0	22.4
12	3/8	K012-F6-K012-TS	36.0	22.8	22	20.6	9.5	15.0	23.1
12	1/2	K012-F8-K012-TS	38.8	22.8	22	25.4	9.5	19.8	28.5
16	1/2	K016-F8-K016-TS	39.8	24.4	25	27.0	11.9	19.8	28.4

双卡套四通接头



英制双卡套四通接头		尺寸mm				
T- Tube O. D. (in.)	基本订购信息	L	C	G	F	E
1/8	K2-CS	22.4	12.7	11.1	9.5	2.3
3/16	K3-CS	24.4	13.7	12.7	11.1	3.0
1/4	K4-CS	26.9	15.2	14.3	12.7	4.8
5/16	K5-CS	29.7	16.2	15.9	15.9	6.4
3/8	K6-CS	30.5	16.8	17.5	15.9	7.1
1/2	K8-CS	36.1	22.9	22.2	20.6	10.4
5/8	K10-CS	36.3	24.4	25.4	27.0	12.7
3/4	K12-CS	39.9	24.4	28.6	27.0	15.7
7/8	K14-CS	44.7	25.9	31.8	34.9	18.3
1	K16-CS	49.0	31.2	38.1	34.9	22.4

公制双卡套四通接头		尺寸mm				
T- Tube O. D. (in.)	基本订购信息	L	C	G	F	E
3	K03-CS	22.3	12.9	12	9.5	2.4
4	K04-CS	25.4	13.7	12	12.7	2.4
6	K06-CS	27.0	15.3	14	12.7	4.8
8	K08-CS	29.9	16.2	16	15.9	6.4
10	K010-CS	33.5	17.2	19	20.6	7.9
12	K012-CS	36.0	22.8	22	20.6	9.5
16	K016-CS	37.0	24.4	25	23.8	12.7
18	K018-CS	38.3	24.4	30	27.0	15.1
20	K020-CS	44.6	26.0	32	34.9	15.9
22	K022-CS	44.7	26.0	32	34.9	18.3
25	K025-CS	49.2	31.3	38	34.9	21.8